

LIST OF REFERENCES CITED BY APPLICANT (Use several sheets if necessary)	ATTY DOCKET NO.	APPLICATION NO
	61834-5028-US	10/807,856
	APPLICANT Sparks <i>et al.</i>	
	FILING DATE March 23, 2004	GROUP 1639

U.S. PATENT DOCUMENTS

*EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
<i>my</i>	A01	5,096,815	03/17/1992	Ladner et al.			
	A02	5,198,346	03/30/1993	Ladner et al.			
	A03	5,223,409	06/29/1993	Ladner et al.			
	A04	5,541,109	07/30/1996	Searfoss, III et al.			
	A05						
	A06						
	A07						
	A08						
	A09						

FOREIGN PATENT DOCUMENTS

		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
							YES	NO
<i>my</i>	B01	WO 90/02809	03/22/1990	WIPO				
	B02	WO 91/19818	12/26/1991	WIPO				
	B03	WO 92/18528	10/29/1992	WIPO				
	B04	WO 93/18054	09/16/1993	WIPO				
	B05	WO 95/10296	04/20/1995	WIPO				
	B06	WO 95/24419	09/14/1995	WIPO				
	B07	WO 96/36881	11/21/1996	WIPO				
	B08	WO 97/37223	10/09/1997	WIPO				


EXAMINER

DATE CONSIDERED

7/24/05


*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

LIST OF REFERENCES CITED BY APPLICANT (Use several sheets if necessary)		ATTY DOCKET NO.	APPLICATION NO
		61834-5028-US	10/807,856
		APPLICANT Sparks <i>et al.</i>	
		FILING DATE	GROUP
		March 23, 2004	1639



OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)

C01	Barkas et al., 1987, "Mapping the main immunogenic region and toxin-binding site of the nicotinic acetylcholine receptor", <i>Science</i> 235:77-80.
C02	Bar-Sagi et al., 1993, "SH3 domains direct cellular localization of signaling molecules", <i>Cell</i> 74:83-91
C03	Blond-Elguindi et al., 1993, "Affinity panning of a library of peptides displayed on bacteriophages reveals the binding specificity of BpP", <i>Cell</i> 75:717-728.
C04	Bock et al., 1992, "Selection of single-stranded DNA molecules that bind and inhibit human thrombin", <i>Nature</i> 355:564-566.
C05	Brunton & Workman, 1993, "Cell-signaling targets for antitumor drug development", <i>Cancer Chemother. Pharmacol.</i> 32:1-19.
C06	Cheadle et al., 1994, "Identification of a SRC SH3 domain binding motif by screening a random phage display library", <i>J. Biol. Chem.</i> 269:24034-24039.
C07	Chen et al., 1993, "Biased combinatorial libraries: Novel ligands for the SH3 domain of phosphatidylinositol 3-kinase", <i>J. Biol. Chem.</i> 115:12591-12592.
C08	Chien et al., 1991, "The two-hybrid system: A method to identify and clone genes for proteins that interact with a protein of interest", <i>Proc. Natl. Acad. Sci. USA</i> 88:9578-9582.
C09	Cicchetti et al., 1992, "Identification of a protein that binds to the SH3 region of Abl and is similar to BCR and GAP-p", <i>Science</i> 257:803-806.
C10	Clark et al., 1992, "C. elegans cell-signalling gene <i>sem-5</i> encodes a protein with SH2 and SH3 domains", <i>Nature</i> 356:340-344.
C11	Cohen et al., 1995, "Modular binding domains in signal transduction proteins", <i>Cell</i> 80:237-24
C12	Cwirla et al., 1990, "Peptides on phage: A vast library of peptides for identifying ligands", <i>Proc. Acad. Sci. USA</i> 87:6378-6382.
C13	Daniels & Lane, 1994, "The characterization of p53 binding phage isolated from phage peptide display libraries", <i>J. Mol. Biol.</i> 243:639-652.
C14	David et al., 1994, "Autoimmunity in stiff-Man syndrome with breast cancer is targeted to the C-terminal region of human amphiphysin, a protein similar to the yeast proteins, RVS167 and RVS161", <i>FEBS Lett.</i> 351:73-79.
C15	Dedman et al., 1993, "Selection of targeted biological modifiers from a bacteriophage library of random peptides. The identification of novel calmodulin regulatory peptides", <i>J. Biol. Chem.</i> 268:23025-23030.
C16	Devlin et al., 1990, "Random peptide libraries: A source of specific protein binding molecules", <i>Science</i> 249:404-406.
C17	Doorbar & Winter, 1994, "Isolation of a peptide antagonist to the thrombin receptor using phage display", <i>J. Mol. Biol.</i> 244:361-369.
C18	Duchesne et al., 1993, "Identification of the SH3 domain of GAP as an essential sequence for RAS-GAP-Mediated signaling", <i>Science</i> 259:525-528.
C19	Egan et al., 1993, "Association of Sos Ras exchange protein with Grb2 is implicated in tyrosine kinase signal transduction and transformation", <i>Nature</i> 363:45-51.
C20	Ellington & Szostak, 1990, "In vitro selection of RNA molecules that bind specific ligands", <i>Nature</i> 346:818-822.
C21	Ellington & Szostak, 1992, "Selection <i>in vitro</i> of single-stranded DNA molecules that fold into specific ligand-binding structures", <i>Nature</i> 355:850-852.

EXAMINER	DATE CONSIDERED
	7/24/08

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

LIST OF REFERENCES CITED BY APPLICANT

(Use several sheets if necessary)

ATTY DOCKET NO.

61834-5028-US

APPLICATION NO

10/807,856

APPLICANT

Sparks *et al.*

FILING DATE

March 23, 2004

GROUP

1639

OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)

	C22	Evans et al., 1990, "Talin and vinculin in the oocyte, eggs, and early embryos of <i>Xenopus laevis</i> : A developmentally regulated change in distribution", <i>Dev. Biol.</i> 137:403-413.
	C23	Feng et al., 1994, "Two binding orientations for peptides to the SRC SH3 domain: Development of a general model for SH3-Ligand interactions", <i>Science</i> 266:1241-1247.
	C24	Fields & Song, 1989, "A novel genetic system to detect protein-protein interactions", <i>Nature</i> 340:245-246.
	C25	Flynn et al., 1993, "Identification and sequence analysis of cDNAs encoding a 110-kilodalton actin filament-associated pp60 ^{src} substrate", <i>Mol. Cell. Biol.</i> 13:7892-7900.
	C26	Fowlkes et al., 1992, "Multipurpose vectors for peptide expression on the M13 viral surface", <i>Biotechniques</i> 13:422-427.
	C27	Fukamachi et al., 1994, "Identification of a protein, SPY75, with repetitive helix-turn-helix motifs and an SH3 domain as a major substrate for protein tyrosine kinase(s) activated by Fc ϵ RI cross-linking", <i>J. Immunol.</i> 152:642-652.
	C28	Gao et al., 1994, "Selection of a subset of mRNAs from combinatorial 3' untranslated region libraries using neuronal RNA-binding protein Hel-N1", <i>Proc. Natl. Acad. Sci. USA</i> 91:11207-11211.
	C29	Geysen et al., 1987, "Strategies for epitope analysis using peptide synthesis", <i>J. Immunol. Meth.</i> 102:259-274.
	C30	Gilbert & Villa-Komaroff, 1980, "Useful proteins from recombinant bacteria", <i>Sci. Am.</i> 242:74-94.
	C31	Goodson et al., 1994, "High-affinity urokinase receptor antagonists identified with bacteriophage peptide display", <i>Proc. Natl. Acad. Sci. USA</i> 91:7129-7133.
	C32	Gordon et al., 1994, "Applications of combinatorial technologies to drug discovery. 2. Combinatorial organic synthesis, library screening strategies, and future directions", <i>J. Med. Chem.</i> 37:1385-1401.
	C33	Gout et al., 1993, "The GTPase dynamin binds to and is activated by a subset of SH3 domains", <i>Cell</i> 75:25-36.
	C34	Hoffman, 1995, "A novel method for identifying src homology 3 (SH3) domain-containing proteins", J.K. Koeppe Undergraduate Res. Symp. in Biol of UNC at Chapel Hill, April 7, abstracts.
	C35	Hoffman, 1995, "A novel method for identifying src homology 3 (SH3) domain-containing proteins", Honors Thesis, Dept of Biology, UNC Chapel Hill.
	C36	Hoffman, Noah G., et al., 1996, <i>Molecular Diversity</i> , 2:5-12.
	C37	Houghten et al., 1991, "Generation and use of synthetic peptide combinatorial libraries for basic research and drug discoveries", <i>Nature</i> 354:84-86.
	C38	Ishikawa et al., 1994, "Drebrin, a development-associated brain protein from rat embryo, causes the dissociation of tropomyosin from actin filaments", <i>J. Biol. Chem.</i> 269:29928-29933.
	C39	Iwabuchi et al., 1994, "Two cellular proteins that bind to wild-type but not mutant p53", <i>Proc. Natl. Acad. Sci. USA</i> 91:6098-6102.
	C40	Jackson et al., 1993, "Mutation of a phenylalanine conserved in SH3-containing tyrosine kinases activates the transforming ability of c-ABL", <i>Oncogene</i> 8:1943-1956.
	C41	Jerne, N. K., 1974, "Towards a network theory of the immune system", <i>Ann. Immunol. (Inst. Pasteur)</i> 125c:373-389.
	C42	Kapeller et al., 1994, "Identification of two SH3-binding motifs in the regulatory subunit of phosphatidylinositol 3-kinase", <i>J. Biol. Chem.</i> 269:1927-1933.

EXAMINER


DATE CONSIDERED

7/24/05

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

LIST OF REFERENCES CITED BY APPLICANT

(Use several sheets if necessary)



ATTY DOCKET NO.

61834-5028-US

APPLICATION NO

10/807,856

APPLICANT

Sparks *et al.*



FILING DATE

March 23, 2004

GROUP

1639

OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)

	C43	Kawakami et al., 1988, "Acquisition of transforming properties by FYN, a normal SRC-related human gene", <i>Proc. Natl. Acad. Sci. USA</i> 85:3870-3874.
	C44	Kay et al., 1993, "An M13 phage library displaying random 38-amino acid peptides as a source of novel sequences with affinity to selected targets", <i>Gene</i> 128:59-65.
	C45	Kay, B. K., 1994, "Biologically displayed random peptides as reagents in mapping protein-protein interactions", <i>Perspect. in Drug Disc. & Design</i> 2:251-268.
	C46	Kay et al., 1995, "Mapping protein-protein interactions with phage", <i>Tucson Mtg Discussion abstr.</i>
	C47	Knudsen et al., 1994, "Four proline-rich sequences of the guanine-nucleotide exchange factor C3G bind with unique specificity to the first SRC homology 3 domain of CRK", <i>J. Biol. Chem.</i> 269:32781-32787.
	C48	Krook et al., 1994, "Selection of peptides with affinity for single stranded DNA using a phage display library", <i>Biochem. Biophys. Res. Comm.</i> 204:849-854.
	C49	Lam et al., 1991, "A new type of synthetic peptide library for identifying ligand-binding activity", <i>Nature</i> 354:82-84.
	C50	Langer, R., 1990, "New methods of drug delivery", <i>Science</i> 249:1527-1533.
	C51	Lescure et al., 1992, "A factor with SP1 DNA-binding specificity stimulates <i>Xenopus</i> U6 snRN in vivo transcription by RNA polymerase III", <i>J. Mol. Biol.</i> 228:387-394.
	C52	Lichte et al., 1992, "Amphiphysin, a novel protein associated with synaptic vesicles", <i>EMBO J.</i> 11:2521-2530.
	C53	Lim et al., 1994, "Stability and peptide binding affinity of an SH3 domain from the <i>Caenorhabditis elegans</i> signaling protein SEM-5", <i>Protein Sci.</i> 3:1261-1266.
	C54	Lim et al., 1994, "Structural determinants of peptide-binding orientation and of sequence specificity on SH3 domains", <i>Nature</i> 372:375-379.
	C55	Liu et al., 1993, "The v-Src SH3 domain binds phosphatidylinositol 3'-kinase", <i>Mol. Cell. Biol.</i> 13:5225-5232.
	C56	Mayer et al., 1993, "A putative modular domain present in diverse signaling proteins", <i>Cell</i> 73:629-630.
	C57	McAdara & Babior, 1993, "SH3 domains appear to play a functional role in respiratory burst oxidase activity", <i>Blood</i> 82:A28.
	C58	McGlade et al., 1993, "The N-terminal region of GAP regulates cytoskeletal structure and cell adhesion", <i>EMBO J.</i> 12:3073-3081.
	C59	McLafferty et al., 1993, "M13 bacteriophage displaying disulfide-constrained microproteins", <i>Gene</i> 128:29-36.
	C60	Oldenburg et al., 1992, "Peptide ligands for a sugar-binding protein isolated from a random peptide library", <i>Proc. Natl. Acad. Sci. USA</i> 89:5393-5397.
	C61	Olivier et al., 1993, "A <i>Drosophila</i> SH2-SH3 adaptor protein implicated in coupling the sevenless tyrosine kinase to an activator of Ras guanine nucleotide exchange, Sos", <i>Cell</i> 73:179-191.
	C62	Parmley & Smith, 1988, "Antibody-selectable filamentous fd phage vectors: Affinity purification of target genes", <i>Gene</i> 73:305-318.
	C63	Parmley & Smith, 1989, "Filamentous fusion phage cloning vectors for the study of epitopes and design of vaccines", <i>Adv. Exp. Med. Biol.</i> 251:215-218.

EXAMINER



DATE CONSIDERED

7/24/05

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

LIST OF REFERENCES CITED BY APPLICANT (Use several sheets if necessary)		ATTY DOCKET NO.	APPLICATION NO
		61834-5028-US	10/807,856
		APPLICANT	
		Sparks <i>et al.</i>	
		FILING DATE	GROUP
		March 23, 2004	1639
OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)			
C64	Pawson & Gish, 1992, "SH2 and SH3 domains: From structure to function", <i>Cell</i> 71:359-362.		
C65	Pawson, T., 1995, "Protein modules and signalling networks", <i>Nature</i> 373:573-580.		
C66	Pleiman et al., 1994, "Activation of phosphatidylinositol-3' kinase by Src-family kinase SH3 binding to the p85 subunit", <i>Science</i> 263:1609-1612.		
C67	Rebar & Pabo, 1994, "Zinc finger phage: Affinity selection of fingers with new DNA-binding specificities", <i>Science</i> 263:671-673.		
C68	Ren et al., 1993, "Identification of a ten-amino acid proline-rich SH3 binding site", <i>Science</i> 259:1157-1161.		
C69	Reynolds et al., 1992, "Functional analysis of the SH2 and SH3 domains of the <i>lck</i> tyrosine protein kinase", <i>Oncogene</i> 7:1949-1955.		
C70	Rickles et al., 1994, "Identification of SRC, FYN, LYN, PI3K and ABL SH3 domain ligands using phage display libraries", <i>EMBO J.</i> 13:5598-5604.		
C71	Rickles et al., 1995, "Phage display selection of ligand residues important for Src homology 3 domain binding specificity", <i>Proc. Natl. Acad. Sci. USA</i> 92:10909-10913.		
C72	Rozakis-Adcock et al., 1993, "The SH2 and SH3 domains of mammalian Grb2 couple the EGF receptor to the Ras activator mSos1", <i>Nature</i> 363:83-85.		
C73	Sanger et al., 1980, "Cloning in single-stranded bacteriophage as an aid to rapid DNA sequencing", <i>J. Mol. Biol.</i> 143:161-178.		
C74	Scott & Smith, 1990, "Searching for peptide ligands with an epitope library", <i>Science</i> 249:386-390.		
C75	Seidel-Dugan et al., 1992, "Effects of SH2 and SH3 deletions on the functional activities of wild-type and transforming variants of c-SRC", <i>Mol. Cell. Biol.</i> 12:1835-1845.		
C76	Sikela & Hahn, 1987, "Screening an expression library with a ligand probe: Isolation and sequence of a cDNA corresponding to a brain calmodulin-binding protein", <i>Proc. Natl. Acad. Sci. USA</i> 84:3038-3042.		
C77	Skolnik et al., 1991, "Cloning of PI3 kinase-associated p85 utilizing a novel method for expression/cloning of target proteins for receptor tyrosine kinases", <i>Cell</i> 65:83-90.		
C78	Songyang et al., 1993, "SH2 domains recognize specific phosphopeptide sequences", <i>Cell</i> 72:767-778.		
C79	Sparks et al., 1994, "Identification and characterization of SRC SH3 ligands from phage-displayed random peptide libraries", <i>J. Biol. Chem.</i> 269:23853-23856.		
C80	Sparks et al., 1995, "Screening phage-displayed random peptide libraries for SH3 ligands", <i>Meth. in Enzymol.</i> 255:498-509.		
C81	Sparks et al., 1996, "Cloning of ligand targets: Systematic isolation of SH3 domain-containing proteins", <i>Nature Biotechnol.</i> 14:741-744.		
C82	Sparks et al., 1996, "Distinct ligand preferences of SRC homology 3 domains from SRC, YES, ABL, Cortactin, p53bp2, PLC γ , CRK, and GRB2", <i>Proc. Natl. Acad. Sci. USA</i> 93:1540-1544.		
C83	Spivack et al., 1984, "Microinjection of pp60 ^{src} into <i>Xenopus</i> oocytes increases phosphorylation of ribosomal protein S6 and accelerates the rate of progesterone-induced meiotic maturation", <i>Mol. Cell. Biol.</i> 4:1631-1634.		
C84	Staudt et al., 1988, "Cloning of a lymphoid-specific cDNA encoding a protein binding the regulatory octamer DNA motif", <i>Science</i> 241:577-580.		

EXAMINER

DATE CONSIDERED

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

LIST OF REFERENCES CITED BY APPLICANT

(Use several sheets if necessary)

ATTY DOCKET NO.

61834-5028-US

APPLICATION NO

10/807,856

APPLICANT

Sparks *et al.*

FILING DATE

March 23, 2004

GROUP

1639

OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)

- | | |
|------|---|
| C85 | Sudol, M., 1994, "YES-associated protein (YAP65) is a proline-rich phosphoprotein that binds to the SH3 domain of the YES proto-oncogene product", <i>Oncogene</i> 9:2145-2152. |
| C86 | Tam & Zavala, 1989, "Multiple antigen peptide. A novel approach to increase detection sensitivity of synthetic peptides in solid-phase immunoassays", <i>J. Imm. Meth.</i> 124:53-61. |
| C87 | Tam, J. P., 1988, "Synthetic peptide vaccine design: Synthesis and properties of a high-density multiple antigenic peptide system", <i>Proc. Natl. Acad. Sci. USA</i> 85:5409-5413. |
| C88 | Tanaka et al., 1993, "Both the SH2 and SH3 domains of human CRK protein are required for neuronal differentiation of PC12 cells", <i>Mol. Cell. Biol.</i> 13:4409-4415. |
| C89 | Taylor & Shalloway, 1993, "The cell cycle and c-SRC", <i>Curr. Opinion in Genetics & Dev.</i> 3:26-34. |
| C90 | Taylor & Shalloway, 1994, "An RNA-binding protein associated with SRC through its SH2 and SH3 domains in mitosis", <i>Nature</i> 368:867-871. |
| C91 | Tomasetto et al., 1995, "Identification of four novel human genes amplified and overexpressed in breast carcinoma and localized to the q11-g21.2 region of chromosome 17", <i>Genomics</i> 28:367-376. |
| C92 | Tuerk & Gold, 1990, "Systematic evolution of ligands by exponential enrichment: RNA ligands to bacteriophage T4 DNA polymerase", <i>Science</i> 249:505-510. |
| C93 | Tuerk et al., 1992, "RNA pseudoknots that inhibit human immunodeficiency virus type 1 reverse transcriptase", <i>Proc. Natl. Acad. Sci. USA</i> 89:6988-6992. |
| C94 | Unger & Steele, 1992, "Biochemical and cytological changes associated with expression of deregulated pp60 ^{src} in <i>Xenopus</i> oocytes", <i>Mol. Cell. Biol.</i> 12:5485-5498. |
| C95 | Vagne-Descroix et al., 1991, "Isolation and characterization of porcine sorbin", <i>Eur. J. Biochem.</i> 201:53-60. |
| C96 | Wages et al., 1992, "Mutations in the SH3 domain of the <i>src</i> oncogene which decrease association of phosphatidylinositol 3'-kinase activity with pp60 ^{src} and alter cellular morphology", <i>J. Virol.</i> 66:1866-1874. |
| C97 | Weng et al., 1993, "Detection of Src homology 3-binding proteins, including paxillin, in normal and v-Src-transformed Balb/c 3T3 cells", <i>J. Biol. Chem.</i> 268:14956-14963. |
| C98 | Winter, J., 1994, "Bacteriophage display: Peptide libraries and drug discovery", <i>Drug Dev. Res.</i> 33:71-89. |
| C99 | Wu & Parsons, 1993, "Cortactin, an 80/85-kilodalton pp60 ^{src} substrate, is a filamentous actin-binding protein enriched in the cell cortex", <i>J. Cell Biol.</i> 120:1417-1426. |
| C100 | Yamanashi et al., 1987, "The YES-related cellular gene LYN encodes a possible tyrosine kinase similar to p56lck", <i>Mol. Cell. Biol.</i> 7:237-243. |
| C101 | Young & Davis, 1983, "Efficient isolation of genes by using antibody probes", <i>Proc. Natl. Acad. Sci. USA</i> 80:1194-1198. |
| C102 | Yu et al., 1992, "Solution structure of the SH3 domain of Src and identification of its ligand-binding site", <i>Science</i> 258:1665-1668. |
| C103 | Yu et al., 1994, "Structural basis for the binding of proline-rich peptides to SH3 domains", <i>Cell</i> 76:933-945. |
| C104 | Zhu et al., 1993, "Direct analysis of the binding of the <i>abl</i> Src homology 2 domain to the activated epidermal growth factor receptor", <i>J. Biol. Chem.</i> 268:1775-1779. |

EXAMINER

DATE CONSIDERED

7/24/05

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICE

ATTY. DOCKET NO.

3298-4014US1

SERIAL NO.

08/630,915

INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

Entered 3/23/2004

APPLICANT

Andrew B. SPARKS, et al.

FILING DATE

April 3, 1996

GROUP ART UNIT

1652

U.S. PATENT DOCUMENTS

EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE

FOREIGN PATENT DOCUMENTS

		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
							YES	NO
Mg	A	97/37223	9 October 1997	PCT	X			
	B	96/36881	21 November 1996	PCT				
	C	95/10296	20 April 1995	PCT				
	D	92/18528	29 October 1992	PCT				
↓	E	91/19818	26 December 1991	PCT				

OTHER DOCUMENTS (Including Author, Title, Date, Referred Papers, Etc.)

Mg	F		Noah G. Hoffman, et al., 1996, <i>Molecular Diversity</i> , 2:5-12
↓	G		E. Y. Skolnik, et al., 1991, <i>Cell</i> , 65:83-90

EXAMINER

DATE CONSIDERED

7/24/05

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

LIST OF REFERENCES CITED BY APPLICANT <i>(Use several sheets if necessary)</i>	ATTY. DOCKET NO. 1101-174	APPLICATION NO. 08/630,915
	APPLICANT Sparks et al.	
	FILING DATE April 3, 1996	GROUP 1818

U.S. PATENT DOCUMENTS							
EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
my	AA	5,096,815	03/17/1992	Ladner et al.			
	AB	5,198,346	03/30/1993	Ladner et al.			
	AC	5,223,409	06/29/1993	Ladner et al.			
	AD	5,541,109	07/30/1996	Searfoss, III et al.			

FOREIGN PATENT DOCUMENTS							
		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION
							YES
							NO
my	AE	WO 90/02809	03/22/1990	PCT WIPO			
	AF	WO 93/18054	09/16/1993	PCT WIPO			
	AG	WO 95/24419	09/14/1995	PCT WIPO			

OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)		
my	AH	Barkas et al., 1987, "Mapping the main immunogenic region and toxin-binding site of the nicotinic acetylcholine receptor", <i>Science</i> 235:77-80.
	AI	Bar-Sagi et al., 1993, "SH3 domains direct cellular localization of signaling molecules", <i>Cell</i> 74:83-91.
	AJ	Blond-Elguindi et al., 1993, "Affinity panning of a library of peptides displayed on bacteriophages reveals the binding specificity of BiP", <i>Cell</i> 75:717-728.
	AK	Bock et al., 1992, "Selection of single-stranded DNA molecules that bind and inhibit human thrombin", <i>Nature</i> 355:564-566.
	AL	Brunton & Workman, 1993, "Cell-signaling targets for antitumor drug development", <i>Cancer Chemother. Pharmacol.</i> 32:1-19.
	AM	Cheadle et al., 1994, "Identification of a SRC SH3 domain binding motif by screening a random phage display library", <i>J. Biol. Chem.</i> 269:24034-24039.
	AN	Chen et al., 1993, "Biased combinatorial libraries: Novel ligands for the SH3 domain of phosphatidylinositol 3-kinase", <i>J. Biol. Chem.</i> 115:12591-12592.

[Handwritten signature]

7124105

ms	AO	Chien et al., 1991, "The two-hybrid system: A method to identify and clone genes for proteins that interact with a protein of interest", <i>Proc. Natl. Acad. Sci. USA</i> 88:9578-9582.
	AP	Cicchetti et al., 1992, "Identification of a protein that binds to the SH3 region of Abl and is similar to BCR and GAP-p", <i>Science</i> 257:803-806.
	AQ	Clark et al., 1992, "C. elegans cell-signalling gene sem-5 encodes a protein with SH2 and SH3 domains", <i>Nature</i> 356:340-344.
	AR	Cohen et al., 1995, "Modular binding domains in signal transduction proteins", <i>Cell</i> 80:237-248.
	AS	Cwirla et al., 1990, "Peptides on phage: A vast library of peptides for identifying ligands", <i>Proc. Natl. Acad. Sci. USA</i> 87:6378-6382.
	AT	Daniels & Lane, 1994, "The characterization of p53 binding phage isolated from phage peptide display libraries", <i>J. Mol. Biol.</i> 243:639-652.
	AU	David et al., 1994, "Autoimmunity in stiff-Man syndrome with breast cancer is targeted to the C-terminal region of human amphiphysin, a protein similar to the yeast proteins, RVS167 and RVS161", <i>FEBS Lett.</i> 351:73-79.
	AV	Dedman et al., 1993, "Selection of targeted biological modifiers from a bacteriophage library of random peptides. The identification of novel calmodulin regulatory peptides", <i>J. Biol. Chem.</i> 268:23025-23030.
	AW	Devlin et al., 1990, "Random peptide libraries: A source of specific protein binding molecules", <i>Science</i> 249:404-406.
	AX	Doorbar & Winter, 1994, "Isolation of a peptide antagonist to the thrombin receptor using phage display", <i>J. Mol. Biol.</i> 244:361-369.
	AY	Duchesne et al., 1993, "Identification of the SH3 domain of GAP as an essential sequence for RAS-GAP-Mediated signaling", <i>Science</i> 259:525-528.
	AZ	Egan et al., 1993, "Association of Sos Ras exchange protein with Grb2 is implicated in tyrosine kinase signal transduction and transformation", <i>Nature</i> 363:45-51.
	BA	Ellington & Szostak, 1990, "In vitro selection of RNA molecules that bind specific ligands", <i>Nature</i> 346:818-822.
	BB	Ellington & Szostak, 1992, "Selection <i>in vitro</i> of single-stranded DNA molecules that fold into specific ligand-binding structures", <i>Nature</i> 355:850-852.
	BC	Evans et al., 1990, "Talin and vinculin in the oocyte, eggs, and early embryos of <i>Xenopus laevis</i> : A developmentally regulated change in distribution", <i>Dev. Biol.</i> 137:403-413.
	BD	Feng et al., 1994, "Two binding orientations for peptides to the SRC SH3 domain: Development of a general model for SH3-Ligand interactions", <i>Science</i> 266:1241-1247.
↓	BE	Fields & Song, 1989, "A novel genetic system to detect protein-protein interactions", <i>Nature</i> 340:245-246.

7124105

EV245495899US

my	BF	Flynn et al., 1993, "Identification and sequence analysis of cDNAs encoding a 110-kilodalton actin filament-associated pp60 ^{src} substrate", <i>Mol. Cell. Biol.</i> 13:7892-7900.
	BG	Fowlkes et al., 1992, "Multipurpose vectors for peptide expression on the M13 viral surface", <i>Biotechniques</i> 13:422-427.
	BH	Fukamachi et al., 1994, "Identification of a protein, SPY75, with repetitive helix-turn-helix motifs and an SH3 domain as a major substrate for protein tyrosine kinase(s) activated by Fc ϵ RI cross-linking", <i>J. Immunol.</i> 152:642-652.
	BI	Gao et al., 1994, "Selection of a subset of mRNAs from combinatorial 3' untranslated region libraries using neuronal RNA-binding protein Hel-N1", <i>Proc. Natl. Acad. Sci. USA</i> 91:11207-11211.
	BJ	Geysen et al., 1987, "Strategies for epitope analysis using peptide synthesis", <i>J. Immunol. Meth.</i> 102:259-274.
	BK	Gilbert & Villa-Komaroff, 1980, "Useful proteins from recombinant bacteria", <i>Sci. Am.</i> 242:74-94.
	BL	Goodson et al., 1994, "High-affinity urokinase receptor antagonists identified with bacteriophage peptide display", <i>Proc. Natl. Acad. Sci. USA</i> 91:7129-7133.
	BM	Gordon et al., 1994, "Applications of combinatorial technologies to drug discovery. 2. Combinatorial organic synthesis, library screening strategies, and future directions", <i>J. Med. Chem.</i> 37:1385-1401.
	BN	Gout et al., 1993, "The GTPase dynamin binds to and is activated by a subset of SH3 domains", <i>Cell</i> 75:25-36.
	BO	Hoffman, 1995, "A novel method for identifying src homology 3 (SH3) domain-containing proteins", J.K. Koeppe Undergraduate Res. Symp. in Biol of UNC at Chapel Hill, April 7, abstracts.
	BP	Hoffman, 1995, "A novel method for identifying src homology 3 (SH3) domain-containing proteins", Honors Thesis, Dept of Biology, UNC Chapel Hill.
	BQ	Houghten et al., 1991, "Generation and use of synthetic peptide combinatorial libraries for basic research and drug discoveries", <i>Nature</i> 354:84-86.
	BR	Ishikawa et al., 1994, "Drebrin, a development-associated brain protein from rat embryo, causes the dissociation of tropomyosin from actin filaments", <i>J. Biol. Chem.</i> 269:29928-29933.
	BS	Iwabuchi et al., 1994, "Two cellular proteins that bind to wild-type but not mutant p53", <i>Proc. Natl. Acad. Sci. USA</i> 91:6098-6102.
	BT	Jackson et al., 1993, "Mutation of a phenylalanine conserved in SH3-containing tyrosine kinases activates the transforming ability of c-ABL", <i>Oncogene</i> 8:1943-1956.
	BU	N.K. Jerne, 1974, "Towards a network theory of the immune system", <i>Ann. Immunol. (Inst. Pasteur)</i> 125c:373-389.
✓	BV	Kapeller et al., 1994, "Identification of two SH3-binding motifs in the regulatory subunit of phosphatidylinositol 3-kinase", <i>J. Biol. Chem.</i> 269:1927-1933.



7/24/05

my	BW	Kawakami et al., 1988, "Acquisition of transforming properties by FYN, a normal SRC-related human gene", <i>Proc. Natl. Acad. Sci. USA</i> 85:3870-3874.
	BX	Kay et al., 1993, "An M13 phage library displaying random 38-amino acid peptides as a source of novel sequences with affinity to selected targets", <i>Gene</i> 128:59-65.
	BY	B.K. Kay, 1994, "Biologically displayed random peptides as reagents in mapping protein-protein interactions", <i>Perspect. in Drug Disc. & Design</i> 2:251-268.
	BZ	Kay et al., 1995, "Mapping protein-protein interactions with phage", <i>Tucson Mtg. Discussion abstr.</i>
	CA	Knudsen et al., 1994, "Four proline-rich sequences of the guanine-nucleotide exchange factor C3G bind with unique specificity to the first SRC homology 3 domain of CRK", <i>J. Biol. Chem.</i> 269:32781-32787.
	CB	Krook et al., 1994, "Selection of peptides with affinity for single stranded DNA using a phage display library", <i>Biochem. Biophys. Res. Comm.</i> 204:849-854.
	CC	Lam et al., 1991, "A new type of synthetic peptide library for identifying ligand-binding activity", <i>Nature</i> 354:82-84.
	CD	R. Langer, 1990, "New methods of drug delivery", <i>Science</i> 249:1527-1533.
	CE	Lescure et al., 1992, "A factor with SP1 DNA-binding specificity stimulates Xenopus U6 snRNA in vivo transcription by RNA polymerase III", <i>J. Mol. Biol.</i> 228:387-394.
	CF	Lichte et al., 1992, "Amphiphysin, a novel protein associated with synaptic vesicles", <i>EMBO J.</i> 11:2521-2530.
	CG	Lim et al., 1994, "Stability and peptide binding affinity of an SH3 domain from the <i>Caenorhabditis elegans</i> signaling protein SEM-5", <i>Protein Sci.</i> 3:1261-1266.
	CH	Lim et al., 1994, "Structural determinants of peptide-binding orientation and of sequence specificity on SH3 domains", <i>Nature</i> 372:375-379.
	CI	Liu et al., 1993, "The v-Src SH3 domain binds phosphatidylinositol 3'-kinase", <i>Mol. Cell. Biol.</i> 13:5225-5232.
	CJ	Mayer et al., 1993, "A putative modular domain present in diverse signaling proteins", <i>Cell</i> 73:629-630.
	CK	McAdara & Babior, 1993, "SH3 domains appear to play a functional role in respiratory burst oxidase activity", <i>Blood</i> 82:A28.
	CL	McGlade et al., 1993, "The N-terminal region of GAP regulates cytoskeletal structure and cell adhesion", <i>EMBO J.</i> 12:3073-3081.
	CM	McLafferty et al., 1993, "M13 bacteriophage displaying disulfide-constrained microproteins", <i>Gene</i> 128:29-36.
✓	CN	Oldenburg et al., 1992, "Peptide ligands for a sugar-binding protein isolated from a random peptide library", <i>Proc. Natl. Acad. Sci. USA</i> 89:5393-5397.

7124105

EV245495899US

my	CO	Olivier et al., 1993, "A Drosophila SH2-SH3 adaptor protein implicated in coupling the sevenless tyrosine kinase to an activator of Ras guanine nucleotide exchange, Sos", <i>Cell</i> 73:179-191.
	CP	Parmley & Smith, 1988, "Antibody-selectable filamentous fd phage vectors: Affinity purification of target genes", <i>Gene</i> 73:305-318.
	CQ	Parmley & Smith, 1989, "Filamentous fusion phage cloning vectors for the study of epitopes and design of vaccines", <i>Adv. Exp. Med. Biol.</i> 251:215-218.
	CR	Pawson & Gish, 1992, "SH2 and SH3 domains: From structure to function", <i>Cell</i> 71:359-362.
	CS	T. Pawson, 1995, "Protein modules and signalling networks", <i>Nature</i> 373:573-580.
	CT	Pleiman et al., 1994, "Activation of phosphatidylinositol-3' kinase by Src-family kinase SH3 binding to the p85 subunit", <i>Science</i> 263:1609-1612.
	CU	Rebar & Pabo, 1994, "Zinc finger phage: Affinity selection of fingers with new DNA-binding specificities", <i>Science</i> 263:671-673.
	CV	Ren et al., 1993, "Identification of a ten-amino acid proline-rich SH3 binding site", <i>Science</i> 259:1157-1161.
	CW	Reynolds et al., 1992, "Functional analysis of the SH2 and SH3 domains of the <i>lck</i> tyrosine protein kinase", <i>Oncogene</i> 7:1949-1955.
	CX	Rickles et al., 1994, "Identification of SRC, FYN, LYN, P13K and ABL SH3 domain ligands using phage display libraries", <i>EMBO J.</i> 13:5598-5604.
	CY	Rickles et al., 1995, "Phage display selection of ligand residues important for Src homology 3 domain binding specificity", <i>Proc. Natl. Acad. Sci. USA</i> 92:10909-10913.
	CZ	Rozakis-Adcock et al., 1993, "The SH2 and SH3 domains of mammalian Grb2 couple the EGF receptor to the Ras activator mSos1", <i>Nature</i> 363:83-85.
	DA	Sanger et al., 1980, "Cloning in single-stranded bacteriophage as an aid to rapid DNA sequencing", <i>J. Mol. Biol.</i> 143:161-178.
	DB	Scott & Smith, 1990, "Searching for peptide ligands with an epitope library", <i>Science</i> 249:386-390.
	DC	Seidel-Dugan et al., 1992, "Effects of SH2 and SH3 deletions on the functional activities of wild-type and transforming variants of c-SRC", <i>Mol. Cell. Biol.</i> 12:1835-1845.
	DD	Sikela & Hahn, 1987, "Screening an expression library with a ligand probe: Isolation and sequence of a cDNA corresponding to a brain calmodulin-binding protein", <i>Proc. Natl. Acad. Sci. USA</i> 84:3038-3042.
	DE	Skolnik et al., 1991, "Cloning of PI3 kinase-associated p85 utilizing a novel method for expression/cloning of target proteins for receptor tyrosine kinases", <i>Cell</i> 65:83-90.
Y	DF	Songyang et al., 1993, "SH2 domains recognize specific phosphopeptide sequences", <i>Cell</i> 72:767-778.

7124105

<u>hug</u>	DX	Wages et al., 1992, "Mutations in the SH3 domain of the src oncogene which decrease association of phosphatidylinositol 3'-kinase activity with pp60 ^{src} and alter cellular morphology", <i>J. Virol.</i> 66:1866-1874.
	DY	Weng et al., 1993, "Detection of Src homology 3-binding proteins, including paxillin, in normal and v-Src-transformed Balb/c 3T3 cells", <i>J. Biol. Chem.</i> 268:14956-14963.
	OZ	J. Winter, 1994, "Bacteriophage display: Peptide libraries and drug discovery", <i>Drug Dev. Res.</i> 33:71-89.
	EA	Wu & Parsons, 1993, "Cortactin, an 80/85-kilodalton pp60 ^{src} substrate, is a filamentous actin-binding protein enriched in the cell cortex", <i>J. Cell Biol.</i> 120:1417-1426.
	EB	Yamanashi et al., 1987, "The YES-related cellular gene LYN encodes a possible tyrosine kinase similar to p56lck", <i>Mol. Cell. Biol.</i> 7:237-243.
	EC	Young & Davis, 1983, "Efficient isolation of genes by using antibody probes", <i>Proc. Natl. Acad. Sci. USA</i> 80:1194-1198.
	ED	Yu et al., 1992, "Solution structure of the SH3 domain of Src and identification of its ligand-binding site", <i>Science</i> 258:1665-1668. ⁷⁰ <u>915</u>
	EE	Yu et al., 1994, "Structural basis for the binding of proline-rich peptides to SH3 domains", <i>Cell</i> 76:933-945.
<u>X</u>	EF	Zhu et al., 1993, "Direct analysis of the binding of the abl Src homology 2 domain to the activated epidermal growth factor receptor", <i>J. Biol. Chem.</i> 268:1775-1779.
EXAMINER <u>[Signature]</u>		DATE CONSIDERED <u>7/24/05</u>
<p>*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.</p>		